CONTENTS OF *FOREST AND MANAGEMENT*, VOLUME 28

VOL. 28 NO. 1 JULY 1989

Genetic variation in seed germination and seedling growth of 24 *Gliricidia sepium* provenances
M.R. Ngulube (Zomba, Malawi) 1
Growth and nitrogen inflow rates in mycorrnhizal and non-mycorrhizal seedlings of *Pinus sylvestris*
P. Högberg (Umeå, Sweden) 7
Mapping regions climatically suitable for particular species: an example using Africa
T.H. Booth, J.A. Stein, H.A. Nix and M.F. Hutchinson (Canberra, A.C.T., Australia) 19
Effects of different clearing treatments on the seed bank dynamics of an invasive Australian shrub *Acacia cyclops* in the south-western cape, South Africa
P.M. Holmes (Rondebosch, South Africa) 33
Simulated predictions of forest dynamics in Fundy National Park, Canada
R.W. Wein, M.A. El-Bayoumi and J. Da Silva
(Fredericton, N.B., Canada) 47
Maximum-likelihood estimation of Weibull function parameters using a general interactive optimizer and grouped data
J.H. Gove and S.E. Fairweather (University Park, PA, U.S.A.) 61

Book Review
Tropical Rain Forest 71

Announcements 73

Guide for Authors 75

VOL. 28 NO. 2 AUGUST 1989

Concurrent establishment of ground cover and hardwood trees on reclaimed mined land and unmined reference sites
C.P. Andersen (Oak Ridge, TN, U.S.A.), B.H. Bussler (St. Louis, MO, U.S.A.), W.R. Chaney, P.E. Pope and W.R. Byrner (West Lafayette, IN, U.S.A.) 81
Interacting effects of soil acidity and canopy cover on the species composition of field-layer vegetation in oak hornbeam forests
G. Tyler (Lund, Sweden) 101
Seed dispersal by red squirrels and subsequent establishment of Korean pine
M. Hayashida (Sapporo, Japan) 115
Seasonal variation in the ability of the sapwood of *Eucalyptus maculata* to compartmentalize discolouration and decay
E. Mireku (Canberra, A.C.T., Australia) and J. Wilkes (Beecroft, N.S.W., Australia) 131

Among-provenace variation in *Pinus halepensis* in Israel
G. Schiller (Bet Dagan, Israel) and Y. Waisel (Ramat Aviv, Israel) 141
Control of the epephytic weeds *Tillandsia recurvata* and *T. aëranthos* with simazine
D.O. Caldiz and J. Beltrano (La Plata, Argentina) 153

VOL. 28 NOS. 3, 4 — 15 AUGUST 1989

Woody biomass and litter production of fertilized grey alder plantations on a low-humified peat bog
L. Rytter, T. Šlapokas and U. Granhall (Uppsala, Sweden) 161
Intra- and interspecific tests of some traditional indicators of relative tolerance
J.N. Parker and J.N. Long (Logan, UT, U.S.A.) 177
Provenance, age, and defoliation effects on the growth of *Cordia alliodora* in Central America
D.L. Hazlett (Ft. Collins, CO, U.S.A.) 191
Ecological adaptations in Douglas-fir (*Pseudotsuga menziesii* var. *glauca*): a synthesis
G.E. Rehfeldt (Ogden, UT, U.S.A.) 203
Irradiance within canopies of young trees of European aspen (*Populus tremula*) and European birch (*Betula pubescens*) in stands of different spacings
T. Johansson (Garpenberg, Sweden) 217
Productivity of New England hemlock/hardwood stands as affected by species composition and canopy structure
M.J. Kelty (New Haven, CT, U.S.A.) 237
A floristic classification of the Walpole-Nornalup National Park, Western Australia
G. Wardell-Johnson, G. Inions and A. Annels
(Manjimup, W.A., Australia) 259
A comparison of secondary and primary forests in the Ailao Shan region of Yunnan, China
S.S. Young and W. Zhi-Jun (Yunnan, People's Republic of China) 281

Short Communications
Physical scarification and hydrogen peroxide treatment improves germination of *Vangueria infausta* seed
H.P. Msanga (Lushoto, Tanzania) and J.A. Maghembe (Nairobi, Kenya) 301
Post-fire recovery of 10-year-old *Pinus caribaea* var. *hondurensis* in a hilly watershed in Sri Lanka
A.H. Perera (Peradeniya, Sri Lanka) 309

Author Index 315

Subject Index 317

Erratum 321

Contents of *Forest Ecology and Management*, Volume 28 323